

Hep-56.1C | 400203

Description	Hep-56.1c	C57BL/6J	p53	Hep-56.1c	5	132
	Hep-56.1c		K8 K18	K19		
	DNA	Hep-56.1c				

Organism

Tissue

Disease

Synonyms HEP-56.1C 56.1C 56.1c

Breed/Subspecies C57BL/6J

Age

Gender

Morphology

Growth properties

Citation Hep-56.1C Cytion 400203

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5768

Hep-56.1C | 400203

Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

Seeding density	1×10^4 /
------------------------	-------------------

Fluid renewal	3 5
----------------------	-----

Post-Thaw Recovery	4×10^5	24
---------------------------	-----------------	----

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

Thawing and Culturing Cells		
1.		
2.	-150°C	3
3.	37°C	40-60
4.	70%	
5.	8	15
6.	300 x g 3	
7.	10	T25 T25
8.		

Hep-56.1C | 400203

**Incubation
Atmosphere** 37°C, 5% CO₂

Flask Coating

**Freezing
Procedure** -78 °C

**Shipping
Conditions** -78 °C

**Storage
Conditions** -150 -196 -80 °C

/ /HLA

Sterility PCR