

Product sheet

Hep-CLS-1H | 400197

Description	C3H/HE	C3H/HE	NDEA
Organism			
Tissue			
Disease			
Synonyms	HEP-CLS-1H		
Breed/Subspecies	C3H/HE		
Gender			
Morphology			
Growth properties			
Citation	Hep-CLS-1H Cytion 400197		
Biosafety level	1		
NCBI_TaxID	10090		
CellosaurusAccession	CVCL_5774		
Tumorigenic	C3H/HE		

Hep-CLS-1H | 400197

Culture Medium	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO ₃	Cytion	820600a
-----------------------	--------------------	----------	------------------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	3	5
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating

Freezing Procedure	-78 °C
---------------------------	--------

Product sheet

Hep-CLS-1H | 400197

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

Sterility

PCR