

HK-2xCRISPR-CAP-D2-mEGFP | 301572

Description	HK-2xCRISPR-CAP-D2-mEGFP CAP-D2	Hela Kyoto	CRISPR/Cas9	mEGFP	CAP-D2
Organism					
Tissue					
Disease					
Metastatic site					
Applications	I	CAP-D2	CRISPR		
Synonyms	HK-2xCRISPR-CAP-D2-mEGFP #272-78, HK CRISPR CAP-D2-mEGFP				
Age	30				
Gender					
Ethnicity					
Morphology					
Cell type					
Growth properties					
Citation	HK-2xCRISPR-CAP-D2-mEGFP Cytion 301572				
Biosafety level	1				
NCBI_TaxID	9606				

HK-2xCRISPR-CAP-D2-mEGFP | 301572

CellosaurusAccession CVCL_UR42

Depositor EMBL

GMO Status GMO-S1 HeLa Kyoto CAP-D2 CRISPR mEGFP

Products EGFP

Culture Medium DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

HK-2xCRISPR-CAP-D2-mEGFP | 301572

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR