

Product sheet

NCI-H196 | 300390

Description	NCI-H196	SCLC	NCI-H196	PDTC
	PDTC	SCLC	PDTC	NCI-H196
Organism				
Tissue				
Disease				
Metastatic site				
Applications				
Synonyms	NCI-H196 H-196 NCIH196			
Age	68			
Gender				
Ethnicity				
Growth properties				
Citation	NCI-H196 Cytion 300390			
Biosafety level	1			
NCBI_TaxID	9606			
CellosaurusAccession	CVCL_1509			

Product sheet

NCI-H196 | 300390

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
----------------	--------------------	------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
----------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
---------------	---------------	-------------	--------	-------------	--------

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere	37°C, 5% CO2
-----------------------	--------------

Flask Coating

Product sheet

NCI-H196 | 300390

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR

STR

Amelogenin: x,y
CSF1PO: 10
D13S317: 9
D16S539: 11
D5S818: 12
D7S820: 10,11
TH01: 6
TPOX: 11
vWA: 19
D3S1358: 15
D18S51: 17,19
Penta E: 8,12
Penta D: 10
D8S1179: 13,15
FGA: 22,23
D6S1043: 13
D2S1338: 17,2
D12S391: 19
D19S433: 14
PEZ6: Wilms1