

LCLC-103H | 300169

Description

LCLC-103H LCLC
LCLC-103H PAS Periodic Acid-Schiff

Organism

Tissue

Disease

Metastatic site

Synonyms LCLC103H -103H

Age 61

Gender

Ethnicity

Morphology Pleomorph

Growth properties

Citation LCLC-103H Cytion 300169

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1375

LCLC-103H | 300169

Ploidy status

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Doubling time 26

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 0.5 1×10^4 /

Fluid renewal 2 3

Post-Thaw Recovery 24

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

LCLC-103H | 300169

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR