

Product sheet

C127I | 400134

Description	C127I	BALB/c	C127I
	C127I		C127I
Organism			
Tissue			
Disease			
Applications	DNA		
Synonyms	C 127I C-127I C-127 I CNC 127I		
Breed/Subspecies	RIII		
Gender			
Morphology			
Growth properties			
Citation	C127I Cytion	400134	
Biosafety level	1		
NCBI_TaxID	10090		
CellosaurusAccession	CVCL_3882		
GMO Status	GMO-S1	C127I T7 RNA CFTR	C127

C127I | 400134

Viruses

Virus
susceptibility

Reverse
transcriptase

Culture Medium DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal 2 3

Post-Thaw Recovery ⁴ /5×10 24

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Product sheet

C127I | 400134

Thawing and
Culturing Cells

- | | | | | | |
|----|---------|--------|-----|-------|-----|
| 1. | | | | | |
| 2. | | -150°C | | | 3 |
| 3. | | 37°C | | 40-60 | |
| 4. | | | 70% | | |
| 5. | | 8 | 15 | | |
| 6. | 300 x g | 3 | | | |
| 7. | 10 | | | T25 | T25 |
| 8. | | | | | |

Incubation
Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR