

Product sheet

DSL-6B-C2 | 500167

Description

DSL-6B/C2 DSL-6 Lewis 1986
DSL-6B/C2

Organism

Tissue

Disease

Metastatic site

Synonyms DSL-6B/C2 DSL-6B/C2

Breed/Subspecies

Age 2

Gender

Morphology

Cell type

Growth
properties

Citation DSL-6B-C2 Cytion 500167

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_4167

Product sheet

DSL-6B-C2 | 500167

Tumorigenic

Products

Culture Medium

DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8

Supplements

10% FBS

Dissociation Reagent

Accutase

Subculturing

PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density

$1 \times 10^4 / \text{cm}^2$ 4

Fluid renewal

2

Post-Thaw Recovery

4 5×10 24

Freeze medium

FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Product sheet

DSL-6B-C2 | 500167

Thawing and
Culturing Cells

- | | | | | | |
|----|---------|--------|-----|-------|-----|
| 1. | | | | | |
| 2. | | -150°C | | | 3 |
| 3. | | 37°C | | 40-60 | |
| 4. | | | 70% | | |
| 5. | | | 8 | 15 | |
| 6. | 300 x g | 3 | | | |
| 7. | 10 | | | T25 | T25 |
| 8. | | | | | |

Incubation
Atmosphere

37°C, 5%_{CO2}

Flask Coating

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR