

Product sheet

NCI-H1650 | 305059

Description

NCI-H1650 (NSCLC) PTEN
NCI-H1650 PTEN PI3K/AKT EGFR
NCI-H1650 EGFR PI3K

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H1650 H-1650 H1650_CO NCIH1650

Age 27

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1650 Cytion 305059

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1483

NCI-H1650 | 305059

Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a												
Supplements	10% FBS												
Dissociation Reagent	Accutase												
Subculturing			PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
Fluid renewal	2	3											
Freeze medium			FBS	+10% DMSO	CM-1	Cytion	800100			CM-1	Cytion	800100	
Thawing and Culturing Cells	1.												
	2.		-150°C					3					
	3.		37°C				40-60						
	4.			70%									
	5.		8		15								
	6.	300 x g	3										
	7.	10				T25			T25				
	8.												
Incubation Atmosphere	37°C, 5% CO2												
Flask Coating													

Product sheet

NCI-H1650 | 305059

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR