Product sheet

HROC370 | 300872

Description	- 2006 CRC
Organism	
Tissue	
Disease	TNM T2N0R0L0V0 G2 Lk(n) +0 ∑ Lk(n) 16
Metastatic site	TNM T2N0R0L0V0
Applications	CRC MSI-H BRAF HROC Linnebacher

Age	77
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	HROC370 Cytion 300872
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_VQ96
GMO Status	HROC Linnebacher

HROC370 | 300872

MSI-status	MSI-H
Mutational profile	BRAF

Culture Medium	DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	3 5
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.

HROC370 | 300872

Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 ⊠ -80 °C
Sterility	PCR