

Product sheet

HPAF-II | 305088

Description

HPAF-II
HPAF-II
KRAS
TP53 CDKN2A
HPAF-II

Organism

Tissue

Disease

Metastatic site

Synonyms
HPAF II HPAFII HPAF-2 HPAF2 HPAF/CD18 CD18/HPAF HPAF-II/CD18 CD-18 CD18 CD 18

Age
44

Gender

Ethnicity

Morphology

Growth
properties

Citation
HPAF-II Cytion 305088

Biosafety level
1

NCBI_TaxID
9606

CellosaurusAccession
CVCL_0313

Product sheet

HPAF-II | 305088

Culture Medium	EMEM	MEM Eagle	w 2 mM L-	w 2.2 g/L NaHCO3	w EBSS	Cytion	820100a
----------------	------	-----------	-----------	------------------	--------	--------	---------

Supplements 10% FBS 1% NEAA

Dissociation Reagent	Accutase
----------------------	----------

Doubling time 26

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
--------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal 2 3

Freeze medium	FBS	+10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
---------------	-----	-----------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere	37°C, 5% CO2
-----------------------	--------------

Product sheet

HPAF-II | 305088

Flask Coating

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR