Product sheet

SK-N-SH | 305028

Description	SK-N-SH SK-N-SH 7 9 17 17 22 17 SK-N-SH SK-N-SH SK-N-SH
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	sk n sh skn-sh sk-nsh sknsh nsh
Age	4
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	SK-N-SH Cytion 305028
Biosafety level	1
NCBI_TaxID	9606

Product sheet

SK-N-SH | 305028

CellosaurusAccession	CVCL_0531

Protein expression	-β M-Csf
Antigen expression	A Rh

Culture Medium	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
Supplements	10% FBS 1% NEAA
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	50% + 40% FBS + 10% DMSO CM-1 Cytion 800100

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR

SK-N-SH | 305028

STR	**Amelogenin**: x,x **CSF1PO**: 11 **D13S317**: 11 **D16S539**: 8,13 **D5S818**: 12 **D7S820**: 7,1 **TH01**: 7,1 **TPOX**: 8,11 **vWA**: 14,18 **D3S1358**: 15,16 **D21S11**: 31,31.2 **D18S51**: 13,16 **Penta E**: 7,11 **Penta D**: 10,12 **D8S1179**: 15 **FGA**: 23.2,24 **D6S1043**: 12,18 **D2S1338**: 17,19 **D12S391**: 18,22 **D19S433**: 13,14