Product sheet

SK-N-BE(2) | 305058

Description	β-^{6} / SK-N-BE(2) 1×10
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	SK-N-BE2 SK-N-BE-2 SKNBE 2 SKNBE-2 SKNBE2 SK-N-BE SKNBE
Age	2
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	SK-N-BE(2) Cytion 305058
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0528
Tumorigenic	

Product sheet

SK-N-BE(2) | 305058

Culture Medium	50:50 EMEM Ham's F12 Cytion 820100a 820600a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	15 PBS T25 3-5 T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	50% + 40% FBS + 10% DMSO CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

SK-N-BE(2) | 305058

Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR
STR	**Amelogenin**: x,y **CSF1PO**: 10 **D13S317**: 11 **D16S539**: 9,11 **D5S818**: 12 **D7S820**: 9,1 **TH01**: 6,7 **TPOX**: 8,11 **vWA**: 18 **D3S1358**: 19 **D21S11**: 30,32.2 **D18S51**: 16 **Penta E**: 14,18 **Penta D**: 13,14 **D8S1179**: 13,14 **FGA**: 22,25 **D6S1043**: 11,19 **D2S1338**: 17,23 **D12S391**: 18,24 **D19S433**: 12,13