Product sheet

RH-35 | 305210

Description	H4-II-E RH-35 Reuber H-35 ACI N-2- ACI H4-II-E H4-II-E H4-II-E H4-II-E
Organism	
Tissue	
Disease	
Synonyms	H4II H-35tc2 Reuber-H-35 2 Reuber H-35tc2 Reuber H35 tc2 H-35 Reuber tc2 H35 Reuber tc2 RH-35 tc2 RH35 tc2 tc2 H35 tc2
Breed/Subspecies	AxC
Gender	
Morphology	
Growth properties	
Citation	RH-35 Cytion 305210
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4623

Product sheet

RH-35 | 305210

Culture Medium	Ham's F12 w 1.0 mM w 1.0 mM w 1.1 g/L NaHCO3 Cytion 820600a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

RH-35 | 305210

Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR