

LXF-289 | 300269

<b>Description</b>	LxF-289	63	50	LxF-289	NSCLC
	LxF-289			70 Hsp70	LxF-289
	LxF-289		S- GSTπ mRNA		

**Organism**

**Tissue**

**Disease**

**Synonyms** LxF289 LxF 289 LxF 289L

**Age** 62

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** LxF-289 Cytion 300269

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1394

LXF-289 | 300269

**Tumorigenic**

**Reverse transcriptase**

**Culture Medium** RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO<sub>3</sub> Cytion 820700a

**Supplements** 10% FBS

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Seeding density**  $1 \times 10^4$  /

**Fluid renewal** 3 5

**Post-Thaw Recovery** 24 48

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

LXF-289 | 300269

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR