

BRL | 305193

| | | | | |
|--------------------|-----|----------|----------|--------|
| Description | BRL | ES | BRL | BRL-CM |
| | BRL | Ha-ras-1 | Ha-ras-1 | |

Organism

Tissue

Synonyms

Breed/Subspecies

Morphology

Growth properties

| | | |
|-----------------|------------|--------|
| Citation | BRL Cytion | 305193 |
|-----------------|------------|--------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|-------|
| NCBI_TaxID | 10116 |
|-------------------|-------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_4565 |
|-----------------------------|-----------|

| | | | | |
|-----------------------|--------------------------|------------------|---------------|---------|
| Culture Medium | EMEM MEM Eagle w 2 mM L- | w 2.2 g/L NaHCO3 | w EBSS Cytion | 820100a |
|-----------------------|--------------------------|------------------|---------------|---------|

| | | |
|--------------------|---------|---------|
| Supplements | 10% FBS | 1% NEAA |
|--------------------|---------|---------|

BRL | 305193

| | |
|-----------------------------|----------|
| Dissociation Reagent | Accutase |
|-----------------------------|----------|

| | | | | | | | | | | | |
|---------------------|-----|-----|-----|-----|-----|------|----------|-----|-----|-----|-----|
| Subculturing | PBS | T25 | 3-5 | PBS | T75 | 5-10 | Accutase | T25 | 1-2 | T75 | 2.5 |
|---------------------|-----|-----|-----|-----|-----|------|----------|-----|-----|-----|-----|

| | | |
|----------------------|---|---|
| Fluid renewal | 2 | 3 |
|----------------------|---|---|

| | | | | | | | |
|----------------------|---------------|------|--------|--------|------|--------|--------|
| Freeze medium | FBS +10% DMSO | CM-1 | Cytion | 800100 | CM-1 | Cytion | 800100 |
|----------------------|---------------|------|--------|--------|------|--------|--------|

| | | | | | | | | |
|------------------------------------|----|---------|--------|-----|-----|-------|-----|--|
| Thawing and Culturing Cells | 1. | | | | | | | |
| | 2. | | -150°C | | | | 3 | |
| | 3. | | 37°C | | | 40-60 | | |
| | 4. | | | 70% | | | | |
| | 5. | | 8 | 15 | | | | |
| | 6. | 300 x g | 3 | | | | | |
| | 7. | 10 | | | T25 | | T25 | |
| | 8. | | | | | | | |

| | |
|------------------------------|--------------------------|
| Incubation Atmosphere | 37°C, 5% CO ₂ |
|------------------------------|--------------------------|

| |
|----------------------|
| Flask Coating |
|----------------------|

| | |
|---------------------------|--------|
| Freezing Procedure | -78 °C |
|---------------------------|--------|

| | |
|----------------------------|--------|
| Shipping Conditions | -78 °C |
|----------------------------|--------|

