

KMH-2 | 305142

Description	KMH-2	ATC		
	KMH-2			KMH-2
		KMH-2		KMH-2

Organism

Tissue

Disease

Metastatic site

Synonyms KMH DASH2, KMH2

Age 71

Gender

Ethnicity

Morphology

Growth properties

Citation KMH-2 Cytion 305142

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_S641

KMH-2 | 305142

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO ₃	Cytion	820700a
-----------------------	--------------------	------------------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time 58

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal 2 3

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

KMH-2 | 305142

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR