

Product sheet

K7M2 wt | 305188

Description

K7M2 wt

K7M2 wt

K7M2 wt

Wnt/ β -catenin PI3K/AKT

K7M2 wt

Organism

Tissue

Disease

Metastatic site

Applications

BALB/c

Wnt/ β -catenin PI3K/AKT

Fc

Synonyms

K7M2-WT, K7M2

Breed/Subspecies

BALB/c

Age

895

Gender

Cell type

Growth
properties

Citation

K7M2 wt Cytion 305188

Biosafety level

1

NCBI_TaxID

10090

CellosaurusAccession

CVCL_V455

K7M2 wt | **305188**

GMO Status	BALB/c												
Receptors expressed	C3	Fc	IgG	I	Fcgr1								
Tumorigenic													
Culture Medium	DMEM	w 4.5	/	w 4	L-	w 3.7	/	NaHCO3	w 1.0	Cytion	820300a		
Supplements	10% FBS												
Dissociation Reagent	Accutase												
Subculturing				PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
Fluid renewal	2	3											
Freeze medium			FBS	+10% DMSO	CM-1	Cytion		800100			CM-1	Cytion	

Product sheet

K7M2 wt | 305188

Thawing and
Culturing Cells

- | | | | | | |
|----|---------|--------|-----|-------|-----|
| 1. | | | | | |
| 2. | | -150°C | | | 3 |
| 3. | | 37°C | | 40-60 | |
| 4. | | | 70% | | |
| 5. | | | 8 | 15 | |
| 6. | 300 x g | 3 | | | |
| 7. | 10 | | | T25 | T25 |
| 8. | | | | | |

Incubation
Atmosphere

37°C, 5%_{CO2}

Flask Coating

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR