Product sheet

K7M2 wt | 305188

Description	K7M2 wt K7M2 wt K7M2 wt Wnt/β-catenin PI3K/AKT K7M2 wt
Organism	
Tissue	
Disease	
Metastatic site	
Applications	BALB/c Wnt/β-catenin PI3K/AKT Fc
Synonyms	K7M2-WT, K7M2

Breed/Subspecies	BALB/c
Age	895
Gender	
Cell type	
Growth properties	

Citation	K7M2 wt Cytion 305188
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_V455

Product sheet

K7M2 wt | 305188

GMO Status	BALB/c
Receptors expressed	C3 Fc IgG I Fcgr1
Tumorigenic	
Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

K7M2 wt | 305188

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR