

HEK293-F | 300260

Description

HEK293-F

293 HEK293

F "

Organism

Tissue

Applications

Synonyms

HEK-293-F, HEK 293-F, HEK-293F, HEK293F, 293-F, 293 F, 293F

Age

Gender

Morphology

Growth properties

Citation

HEK293-F Cytion 300260

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_6642

GMO Status

GMO-S1 HEK293-F SV40

HEK293-F | 300260

Receptors expressed	Vitronectin
----------------------------	-------------

Protein expression	CEA p53
---------------------------	---------

Tumorigenic	
--------------------	--

Viruses	5 DNA	5 DNA
----------------	-------	-------

Culture Medium	CD293 Thermo
-----------------------	--------------

Supplements	10% FBS	1% NEAA
--------------------	---------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time	30
----------------------	----

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Seeding density	$1 \times 10^4 / \text{cm}^2$	4
------------------------	-------------------------------	---

Fluid renewal	2
----------------------	---

Post-Thaw Recovery	4×10^5	24
---------------------------	-----------------	----

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

HEK293-F | 300260

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR