

MDA-MB-435S | 300277

Description		MDA-MB-435	M14	
	MDA-MB-435S			MDA-MB-435S
		MDA-MB-435S		

Organism

Tissue

Disease

Metastatic site

Synonyms MDA-MB-435s MDA-MB-435 S MDA-MB-435-S MDAMB435S BrCL15

Age 33

Gender

Ethnicity

Morphology

Growth properties

Citation MDA-MB-435S Cytion 300277

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0622

MDA-MB-435S | 300277

Culture Medium	DMEM:Ham's F12 1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8
-----------------------	--------------------	------------	--------------	----------------	-----------	-------------------	--------	---

Supplements	5% FBS
--------------------	--------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8		15						
	6.	300 x g	3								
	7.	10				T25			T25		
	8.										

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating	
----------------------	--

MDA-MB-435S | 300277

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ **/HLA**

Sterility PCR