

MDA-MB-468 | 300279

<b>Description</b>	MDA-MB-468	MDA-MB-468	ER-
	MDA-MB-468 TP53	EGFR	
	MDA-MB-468		TNBC

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** MDA-MB 468 MDA-MB468 MDAMB468 MDA-468 MDA468 MB468 MD - -468

**Age** 51

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** MDA-MB-468 Cytion 300279

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0419

MDA-MB-468 | 300279

<b>Culture Medium</b>	DMEM:Ham's F12 1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8
-----------------------	--------------------	------------	--------------	----------------	-----------	-------------------	--------	---

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

<b>Thawing and Culturing Cells</b>	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8		15						
	6.	300 x g	3								
	7.	10				T25			T25		
	8.										

<b>Incubation Atmosphere</b>	37°C, 5% CO2
------------------------------	--------------

<b>Flask Coating</b>	
----------------------	--

MDA-MB-468 | 300279

---

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR