

HepG2.2.15 | 305227

Description	HepG2.2.15	HepG2	HepG2			HBV	HBV
	HepG2.2.15		HBV	HBV		HBV	

Organism

Tissue

Disease

Synonyms	HEP-G2/2.2.15, Hep-G2/2215, HepG2/2215, HepG2-2.2.15, HepG2 2.2.15, HepG/2.2.15, HepG2(2.2.15), 2.2.15						
-----------------	--	--	--	--	--	--	--

Age	15
------------	----

Gender

Ethnicity

Growth properties

Citation	HepG2.2.15 Cytion	305227
-----------------	-------------------	--------

Biosafety level	2
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_L855
-----------------------------	-----------

HepG2.2.15 | 305227

Culture Medium	Ham's F12K	w 2.0 mM L-	w 2.0 mM	w 2.5 g/L NaHCO3	Cytion	820608a
-----------------------	------------	-------------	----------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Seeding density	5×10^4 /
------------------------	-------------------

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C				3				
	3.		37°C			40-60					
	4.			70%							
	5.			8	15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating	
----------------------	--

Freezing Procedure	-78 °C
---------------------------	--------

HepG2.2.15 | 305227

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR