Product sheet

HepG2.2.15 | 305227

Description	HepG2.2.15 HepG2 HepG2 HBV HBV HepG2.2.15 HBV HBV HBV
Organism	
Tissue	
Disease	
Synonyms	HEP-G2/2.2.15, Hep-G2/2215, HepG2/2215, HepG2-2.2.15, HepG2 2.2.15, HepG/2.2.15, HepG2(2.2.15), 2.2.15

Age	15
Gender	
Ethnicity	
Growth properties	

Citation	HepG2.2.15 Cytion 305227
Biosafety level	2
NCBI_TaxID	9606
CellosaurusAccession	CVCL_L855

HepG2.2.15 | 305227

Culture Medium	Ham's F12K w 2.0 mM L- w 2.0 mM w 2.5 g/L NaHCO3 Cytion 820608a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Seeding density	5×10^4 /
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

HepG2.2.15 | 305227

Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR