

NCI-H596 | 305277

Description	NCI-H596	NCI-H596
	NCI-H596	KRAS TP53

Organism

Tissue

Disease

Synonyms	H596 H-596 NCI-HUT-596 NCIH596
-----------------	--------------------------------

Age	73
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H596 Cytion 305277
-----------------	------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1571
-----------------------------	-----------

NCI-H596 | 305277

Tumorigenic

Mutational profile PIK3CA p.Glu545Lys (c.1633G>A) RB1 p.Ser182fs*3 (c.541_542insT) TP53 p.Gly245Cys (c.733G>T)

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

NCI-H596 | 305277

**Incubation
Atmosphere** 37°C, 5% CO₂

**Shipping
Conditions** -78 °C

**Storage
Conditions** -150 -196 -80 °C

/ /HLA

Sterility PCR