

NCI-H2170 | 305276

Description	NCI-H2170				NCI-H2170
	NCI-H2170		p63	TP53	CDKN2A

Organism

Tissue

Disease

Synonyms	H2170 H-2170 NCIH2170
-----------------	-----------------------

Age

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H2170 Cytion	305276
-----------------	------------------	--------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1535
-----------------------------	-----------

NCI-H2170 | 305276

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements 10% FBS 2.5 g/L 10 mM HEPES

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Split ratio	1:3 1:6
--------------------	------------

Fluid renewal 1 2

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating

NCI-H2170 | 305276

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR