

NCI-H2170 | 305276

Description	NCI-H2170				NCI-H2170
	NCI-H2170		p63	TP53	CDKN2A

Organism

Tissue

Disease

Synonyms	H2170 H-2170 NCIH2170
-----------------	-----------------------

Age

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H2170 Cytion	305276
-----------------	------------------	--------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1535
-----------------------------	-----------

NCI-H2170 | 305276

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS	2.5 g/L	10 mM HEPES
--------------------	---------	---------	-------------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	1	2
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8		15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating

NCI-H2170 | 305276

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR