

MDA-MB-361 | 305267

|                    |            |            |    |    |            |    |
|--------------------|------------|------------|----|----|------------|----|
| <b>Description</b> | MDA-MB-361 | MDA-MB-361 | ER | PR | 2 HER2/neu | ER |
|                    | MDA-MB-361 |            |    |    |            |    |

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** MDA-MB 361 MDA MB 361 MDA-MB361 MDAMB361 MDA-361 MDA361 MB361 MD - -361

**Age** 40

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** MDA-MB-361 Cytion 305267

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0620

**MDA-MB-361 | 305267**

**Oncogenes** Wnt7h+

**Culture Medium** DMEM:Ham's F12 1:1 w: 3.1 g/L w: 1.6 mM L- w: 15 mM HEPES w: 1.0 mM w: 1.2 g/L NaHCO3 (Cytion 82040)

**Supplements** 20% FBS 5 µg/mL

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Fluid renewal** 2 3

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

MDA-MB-361 | 305267

**Flask Coating**

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR