

HCE-T | 305255

<b>Description</b>	HCE-T	SV40	SV40-	Ad-SV40	SV40 T
	HCE-T	“ ”			64 kD
	HCE-T		/		/

<b>Organism</b>	
<b>Tissue</b>	

<b>Synonyms</b>	HCET - HCE SV40-HCEC
-----------------	----------------------

<b>Age</b>	49
------------	----

<b>Gender</b>	
<b>Ethnicity</b>	

<b>Morphology</b>	
<b>Cell type</b>	

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	HCE-T Cytion 305255
-----------------	---------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1272
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1 HCE-T SV40 RSV-T / pRSV-T
-------------------	----------------------------------

HCE-T | 305255

<b>Viruses</b>	RSV-T	pRSV-T	SV40 ori-	SV40	Rous										
<b>Products</b>	64kD														
<b>Culture Medium</b>	DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion							
<b>Supplements</b>	5% FBS	1% ITS	0.625 /	0.625 /	0.625 /	0.535 /	125 /	BSA	10 /						
<b>Dissociation Reagent</b>	Accutase														
<b>Subculturing</b>			PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5		
<b>Freeze medium</b>			FBS +10% DMSO	CM-1	Cytion			800100				CM-1	Cytion		800100
<b>Thawing and Culturing Cells</b>	1.														
	2.			-150°C						3					
	3.			37°C				40-60							
	4.				70%										
	5.			8	15										
	6.		300 x g	3											
	7.	10					T25			T25					
	8.														
<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>														

HCE-T | 305255

---

**Flask Coating**

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR