

CHO-FOLR1 | 305416

Description

CHO-FOLR1 CHO FOLR1 15,000 FOLR1
FOLR1

Organism

Tissue

Age

Gender

Morphology

Growth properties /

Citation CHO-FOLR1 Cytion 305416

Biosafety level 1

NCBI_TaxID 10029

GMO Status GMO-S1 CHO FOLR1

Receptors expressed FOLR1 α FR α FBP

CHO-FOLR1 | 305416

Culture Medium	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO ₃	Cytio
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039		

Supplements	5% FBS	G418-	0.5 mg/mL
--------------------	--------	-------	-----------

Dissociation Reagent	-EDTA
-----------------------------	-------

Subculturing	PBS	PB5%	2-3	/EDTA	T25	1	T75	3	37
---------------------	-----	------	-----	-------	-----	---	-----	---	----

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10			T25		T25
	8.						

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

CHO-FOLR1 | 305416

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR