

**CHO-FOLR1 | 305416**

<b>Description</b>	/ 6,250				
	CHO-FOLR1	CHO	FOLR1	15,000	FOLR1
		FOLR1			

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties** /

**Citation** CHO-FOLR1 Cytion 305416

**Biosafety level** 1

**NCBI\_TaxID** 10029

**GMO Status** GMO-S1 CHO FOLR1

**Receptors expressed** FOLR1  $\alpha$  FR $\alpha$  FBP

**CHO-FOLR1 | 305416**

<b>Culture Medium</b>	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO <sub>3</sub>	Cytio
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039		
<b>Supplements</b>	5% FBS	G418-	0.5 mg/mL				
<b>Dissociation Reagent</b>	-EDTA						
<b>Subculturing</b>		PBS	PBS%	2-3	/EDTA	T25	1 T75 3 37
<b>Fluid renewal</b>	2	3					
<b>Post-Thaw Recovery</b>	1:2	1:3	T25	24			
<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100		CM-1 Cytion	800100
<b>Thawing and Culturing Cells</b>	1.						
	2.		-150°C				3
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10		T25		T25	
	8.						

**CHO-FOLR1 | 305416**

**Incubation  
Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing  
Procedure** -78 °C

**Shipping  
Conditions** -78 °C

**Storage  
Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR