

**CHO-B7H3 | 305417**

**Description**

CHO-B7H3	CHO	B7-H3	430,000	B7-H3
B7-H3				

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties** /

**Citation** CHO-B7H3 Cytion 305417

**Biosafety level** 1

**NCBI\_TaxID** 10029

**GMO Status** GMO-S1 CHO B7-H3

**Receptors expressed** B7H3 (CD276)

**CHO-B7H3 | 305417**

<b>Culture Medium</b>	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO <sub>3</sub>	Cytio
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039		

<b>Supplements</b>	5% FBS	G418-	0.5 mg/mL
--------------------	--------	-------	-----------

<b>Dissociation Reagent</b>	-EDTA
-----------------------------	-------

<b>Subculturing</b>	PBS	PB5%	2-3	/EDTA	T25	1	T75	3	37
---------------------	-----	------	-----	-------	-----	---	-----	---	----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Post-Thaw Recovery</b>	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

<b>Thawing and Culturing Cells</b>	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10		T25		T25	
	8.						

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

CHO-B7H3 | 305417

---

**Flask Coating**

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR