

CHO-CCR8 | 305418

Description	/					6,250
	CHO-CCR8	CHO	CCR8	8,000	CCR8	
		CCR8				

Organism

Tissue

Age

Gender

Morphology

Growth properties /

Citation CHO-CCR8 Cytion 305418

Biosafety level 1

NCBI_TaxID 10029

GMO Status GMO-S1 CHO GPCR CCR8

Receptors expressed CCR8 CHEMR1 CDw198

CHO-CCR8 | 305418

Culture Medium	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytio
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039		

Supplements	5% FBS	G418-	0.5 mg/mL
--------------------	--------	-------	-----------

Dissociation Reagent	-EDTA
-----------------------------	-------

Subculturing	PBS	PBS%	2-3	/EDTA	T25	1	T75	3	37
---------------------	-----	------	-----	-------	-----	---	-----	---	----

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.			
	2.		-150°C	3
	3.		37°C	40-60
	4.		70%	
	5.		8	15
	6.	300 x g	3	
	7.	10		T25
	8.			T25

CHO-CCR8 | 305418

**Incubation
Atmosphere** 37°C, 5% CO₂

Flask Coating

**Freezing
Procedure** -78 °C

**Shipping
Conditions** -78 °C

**Storage
Conditions** -150 -196 -80 °C

/ **/HLA**

Sterility PCR