

HEK293-TACD2 | 305424

**Description**

HEK293-TACD2 HEK293 TACD2 10,000 inscreenex  
TACD2

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** HEK293-TACD2 Cytion 305424

**Biosafety level** 1

**NCBI\_TaxID** 9606

**GMO Status** GMO-S1 HEK293 TACD2

**Receptors expressed** TACD2 TROP2 GA733-1

**HEK293-TACD2 | 305424**

<b>Culture Medium</b>	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO <sub>3</sub>	Cytion	820700a
<b>Supplements</b>	10% FBS 1 mM	10 mM HEPES	1% NEAA	G418- 1 mg/mL
<b>Dissociation Reagent</b>	-EDTA			
<b>Subculturing</b>		PBS	PBS5%	2-3 /EDTA T25 1 T75 3 37°C
<b>Fluid renewal</b>	2 3			
<b>Post-Thaw Recovery</b>	1:2 1:3	T25	24	
<b>Freeze medium</b>	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion 800100
<b>Thawing and Culturing Cells</b>	1.			
	2.	-150°C		3
	3.	37°C	40-60	
	4.		70%	
	5.	8	15	
	6.	300 x g	3	
	7.	10	T25	T25
	8.			
<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>			

HEK293-TACD2 | 305424

---

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR