

**L5178Y TK+/- 3.7.2C | 305485**

| Description | L5178Y TK+/- 3.7.2C | TK   | MLA | L5178Y |
|-------------|---------------------|------|-----|--------|
|             | L5178Y TK+/- 3.7.2C | 8-11 | 40  | p53 4  |

**Organism**

| Tissue |
|--------|
|        |

**Disease**

| Synonyms                            |
|-------------------------------------|
| L5178Y TK+/-3.7.2c, TK+/- ( 3.7.2C) |

| Breed/Subspecies |
|------------------|
| DBA/2            |

**Age** 8

| Gender |
|--------|
|        |

**Morphology**

| Cell type |
|-----------|
| T         |

**Growth properties**

| Citation                        |
|---------------------------------|
| L5178Y TK+/- (3.7.2C) ( 305485) |

**Biosafety level** 1

| NCBI_TaxID |
|------------|
| 10090      |

**CellosaurusAccession** CVCL\_6665

**L5178Y TK+/- 3.7.2C | 305485**

**Culture Medium** DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

**Supplements** 10% FBS 0.1% Pluronic F-68

**Subculturing** 15 PBS T25 3-5 T75 5-10 Accutase T25 1-2 T75 2.5

**Seeding density** 0.1-2×10<sup>6</sup> /

**Fluid renewal** 2

**Post-Thaw Recovery** 25 8

**Freeze medium** 95% FBS + 5% DMSO + 0.1% Pluronic F-68 CM-1 Cytion 8

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

## Product sheet



**L5178Y TK+/- 3.7.2C | 305485**

### Incubation Atmosphere

37°C, 5% CO<sub>2</sub>

### Shipping Conditions

-78 °C

### Storage Conditions

-150 -196 ❏ -80 °C

/ /HLA

### Sterility

PCR