

C17.2 | 305354

Description	C17.2	myc	C17.2
	C17.2		
	C17.2	CNS	C17.2

C17.2

Organism

Tissue

Synonyms C17

Breed/Subspecies C57BL/6 x CD-1

Age

Gender

Cell type

Growth properties

Citation C17.2 Cytion 305354

Biosafety level 1

NCBI_TaxID 10090

CellSaurusAccession CVCL_4511

Oncogenes v-Myc

C17.2 | 305354

Culture Medium DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 2.4×10^4 /

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

C17.2 | 305354

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ **/HLA**

Sterility PCR