

HCC1395 | 305546

Description	HCC1395	TNBC				
	HCC1395		ZEB2	ZEB2	HCC1395	
	HCC1395				HCC1395	TNBC

Organism

Tissue

Disease

Synonyms	HCC-1395, SCC-1395, Hamon	1395
-----------------	---------------------------	------

Age	43
------------	----

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation	HCC1395 Cytion	305546
-----------------	----------------	--------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_1249

HCC1395 | 305546

Protein expression 2 (EGP2) 19

Oncogenes Her2/neu-, p53+

Mutational profile TP53 p.Arg175His (c.524G>A)

Culture Medium RPMI 1640 w 4.5 / w 2 L- w 10 HEPES w 1 w 1.5 / NaHCO3 (820702a)

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 TrypLE Express T25 1-2 T75 2.5

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

HCC1395 | 305546

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR