Product sheet

HCC1395 | 305546

Description	HCC1395 TNBC HCC1395 ZEB2 ZEB2 HCC1395 HCC1395 HCC1395 TNBC
Organism	
Tissue	
Disease	
Synonyms	HCC-1395, SCC-1395, Hamon 1395

Age	43
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	HCC1395 Cytion 305546
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1249

HCC1395 | 305546

Protein expression	2 (EGP2) 19
Oncogenes	Her2/neu-, p53+
Mutational profile	TP53 p.Arg175His (c.524G>A)

Culture Medium	RPMI 1640 w 4.5 / w 2 L- w 10 HEPES w 1 w 1.5 / NaHCO3 (820702a)
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 TrypLE Express T25 1-2 T75 2.5
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

HCC1395 | 305546

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR