

NCI-H1048 | 305595

Description	NCI-H1048	SCLC	NCI-H1048
	NCI-H1048	TP53 RB1	
	NCI-H1048		

Organism

Tissue

Disease

Metastatic site

Synonyms H1048 H-1048 NCIH1048

Age 53

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1048 Cytion 305595

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1453

NCI-H1048 | 305595

MSI-status	MSI
-------------------	-----

Culture Medium	DMEM:Ham's F12 1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8
-----------------------	--------------------	------------	--------------	----------------	-----------	-------------------	--------	---

Supplements	5% FBS	0.005 mg/mL	0.01 mg/mL	30nM	10 nM	10 nM beta-estradiol
--------------------	--------	-------------	------------	------	-------	----------------------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	TrypLE Express	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------------	-----	-----	-----	-----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

NCI-H1048 | 305595

Thawing and Culturing Cells

- 1.
 2. -150°C 3
 3. 37°C 40-60
 4. 70%
 5. 8 15
- HITES **DMEM:F12** 820400a
- 0.005 /
 - 0.01 /
 - 30 nM
 - 10 nM
 - 10 nM β-
 - 2 mM L- 4.5 mM
 - 5%
- 300 x g 3
 - 10 T25 T25
 -

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

NCI-H1048 | 305595

Sterility

PCR