

NCI-H1792 | 305835

<b>Description</b>	NCI-H1792	NSCLC			
	NCI-H1792	NSCLC	NCI-H1792	KRAS	MAPK
	NCI-H1792	10%	RPMI-1640	37°C 5% CO <sub>2</sub>	

**Organism**

<b>Tissue</b>	
---------------	--

**Disease**

<b>Synonyms</b>	H1792 H-1792 NCH1792
-----------------	----------------------

<b>Age</b>	50
------------	----

**Gender**

<b>Ethnicity</b>	
------------------	--

**Cell type**

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	NCI-H1792 Cytion 305835
-----------------	-------------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_1495

NCI-H1792 | 305835

<b>Mutational profile</b>	CDKN2A	p.Trp110Ter (c.330G>A)	p.Gly125Arg c.373G>A	.	KRAS	p.Gly12Cys (c.34G>T)	TP53	c.6
---------------------------	--------	------------------------	----------------------	---	------	----------------------	------	-----

<b>Culture Medium</b>	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Doubling time</b>	45
----------------------	----

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Freeze medium</b>	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

<b>Thawing and Culturing Cells</b>	1.			
	2.	-150°C		3
	3.	37°C	40-60	
	4.		70%	
	5.	8	15	
	6.	300 x g	3	
	7.	10	T25	T25
	8.			

<b>Incubation Atmosphere</b>	37°C, 5% CO2
------------------------------	--------------

NCI-H1792 | 305835

**Flask Coating**

**Freezing Procedure**

-78 °C

**Shipping Conditions**

-78 °C

**Storage Conditions**

-150 -196 ❏ -80 °C

/ /HLA

**Sterility**

PCR