Product sheet

SU-DHL-8 | 305877

Description	SU-DHL-8 B DLBCL DLBCL B ABC NF-κB B G SU-DHL-8 ABC-DLBCL B BCR NF-κB JAK/STAT BCI
Organism	
Tissue	
Disease	B B
Synonyms	SUDHL8, SUDHL-8, SuDHL 8, Stanford University-Diffuse Histiocytic Lymphoma-8, DHL-8, DHL8

Age	59
Gender	
Ethnicity	
Morphology	
Cell type	B
Growth properties	

Citation	SU-DHL-8 Cytion 305877
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2207

SU-DHL-8 | 305877

Antigen expression	Ig+; IgM-, IgG-, IgA-, IgD-, Lambda-, Kappa-
Mutational profile	KMT2D p.Pro648Thrfs*2 c.1940dupC c.1940_1941insC Cosmic-CLP=1331038 TP53 p.Tyr234Asn c.700T CLP=1331038 TP53 p.Arg249Gly c.745A>G Cosmic-CLP=1331038
Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	
Doubling time	~48-72
Seeding density	0.3-0.5 × 10^6 /
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

SU-DHL-8 | 305877

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere 37°C, 5% $_{CO2}$,

Shipping Conditions -78 °C

Storage Conditions -150 -196 ⊠ -80 °C

/ /HLA

Sterility PCR