

NCI-H2052 | 305836

Description	NCI-H2052	NCI		
	NCI-H2052		10%	RPMI-1640
		PI3K/mTOR		

Organism

Tissue

Disease

Synonyms	H2052 H-2052 H2052_mm NCIH2052
-----------------	--------------------------------

Age	65
------------	----

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation	NCI-H2052 Cytion 305836
-----------------	-------------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_1518

NCI-H2052 | 305836

Mutational profile	CDKN2A (PubMed=31068700)	LATS2	NF2	p.Arg341Ter (c.1021C>T)	RASSF2	p.Glu294Ter (c.880G>T)	TE
---------------------------	-----------------------------	-------	-----	-------------------------	--------	------------------------	----

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time	48
----------------------	----

Fluid renewal	2 3
----------------------	-----

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

Thawing and Culturing Cells	1.			
	2.	-150°C		3
	3.	37°C		40-60
	4.		70%	
	5.	8	15	
	6.	300 x g	3	
	7.	10		T25 T25
	8.			

NCI-H2052 | 305836

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating None

Shipping Conditions -78 °C

Storage Conditions -150 -196 ❏ -80 °C

/ /HLA

Sterility PCR