

NCI-H69AR | 305840

<b>Description</b>	NCI-H69AR	SCLC	NCI-H69					NCI-H69AR	SCLC
	NCI-H69AR	MDR1		P-	P-gp	P-gp	ATP		
	NCI-H69AR								

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Metastatic site</b>
------------------------

**Synonyms** NCI-H69 AR NCI-H69/ AR H69AR H-69 AR

<b>Age</b>	55
------------	----

**Gender**

<b>Ethnicity</b>
------------------

**Morphology**

<b>Cell type</b>
------------------

**Growth properties**

<b>Citation</b>	NCI-H69AR Cytion	305840
-----------------	------------------	--------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

NCI-H69AR | 305840

**CellosaurusAccession** CVCL\_3513

**Tumorigenic**

**Mutational profile** PIK3CA p.Gly106\_Arg108del (c.317\_325delGGCAACCGT) RB1 p.Glu748Ter (c.2242G>T)

**Culture Medium** RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

**Supplements** 20% FBS

**Dissociation Reagent** Accutase

**Fluid renewal** 2 3

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

NCI-H69AR | 305840

**Incubation  
Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Shipping  
Conditions** -78 °C

**Storage  
Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR