

**Lenti-X293T | 305820**

<b>Description</b>	Lenti-X293T	293T	293T	SV40 T	SV40
			HEK293T		
	Lenti-X293T	HEK293			---

**Organism**

<b>Tissue</b>
---------------

**Disease** 5 DNA HEK

<b>Applications</b>
---------------------

**Synonyms** Lenti-X 293T; 293T; HEK 293T

<b>Age</b>
------------

**Gender**

<b>Morphology</b>
-------------------

**Cell type**

<b>Growth properties</b>
--------------------------

<b>Citation</b>	Lenti-X293T	305820
-----------------	-------------	--------

**Biosafety level** 2

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_0063 293T

**Lenti-X293T | 305820**

<b>GMO Status</b>	5 DNA SV40 T
<b>Protein expression</b>	SV40 T
<b>Antigen expression</b>	SV40 T
<b>Oncogenes</b>	SV40 T
<b>Tumorigenic</b>	293T
<b>Viruses</b>	5 DNA SV40 T
<b>Virus susceptibility</b>	
<b>Ploidy status</b>	293T
<b>Mutational profile</b>	5 DNA SV40 T
<b>Karyotype</b>	293T
<b>Culture Medium</b>	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a
<b>Supplements</b>	10% FBS
<b>Dissociation Reagent</b>	Accutase
<b>Doubling time</b>	20-24
<b>Subculturing</b>	48
<b>Split ratio</b>	1:5 1:10

**Product sheet**

**Lenti-X293T | 305820**

**Seeding density** 2  $4 \times 10^4$  /

**Fluid renewal** 2-3

**Freeze medium** +10% DMSO

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 200 x g 5
- 7.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA