

HROC257 | 300814

Description	-	2006	CRC
Organism			
Tissue	UICC IV		
Disease	TNM	T4N2Mx R1L1V1	G3 Lk(n) +8 Σ Lk(n) 15
Synonyms	HROC257P		
Age			
	84		
Gender			
Ethnicity			
Morphology			
Growth properties			
Citation			
	HROC257 Cytion		300814
Biosafety level	1		
NCBI_TaxID	9606		
CellosaurusAccession	CVCL_1U96		
Protein expression			
	PTEN		

HROC257 | 300814

Tumorigenic

Viruses SV40 JC/BK HBV HCV HIV

Ploidy status Euploid

MSI-status MSI-H

Mutational profile K-Raswt, N-Raswt, H-Raswt, PIK3CAwt, B-Rafmut

Culture Medium DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8

Supplements 10% FBS

Dissociation Reagent Accutase

Doubling time 29

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 2×10^4 /

Fluid renewal 3 5

Post-Thaw Recovery

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

HROC257 | 300814

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78 °C

Shipping Conditions

-78 °C

Storage Conditions

-150 -196 -80 °C

/ /HLA

Sterility

PCR