



/ FDC | 300204

**Surface antigens** CD14+ CD40+ ICAM-1+ VCAM-1+

**Culture Medium** EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Fluid renewal** 1 2

**Post-Thaw Recovery** 4 /5x10 24

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

/ FDC | 300204

**Thawing and  
Culturing Cells**

1.				
2.		-150°C		3
3.		37°C	40-60	
4.		70%		
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation  
Atmosphere**

37°C, 5% CO<sub>2</sub>

**Flask Coating**

yollo

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR

/ FDC | 300204

---

**HLA**

**A\*:** '02:01:01, '25:01:01

**B\*:** '14:02:01, '18:01:01

**C\*:** '08:02:01, '12:03:01

**DRB1\*:** '01:02:01, '15:01:01G

**DQA1\*:** '01:01:02, '01:02:01

**DQB1\*:** '05:01:01, '06:02:01

**DPB1\*:** '02:01:02, '23:01:01

**E:** '01:01:01