

T406 | 300361

|                    |      |      |     |      |      |
|--------------------|------|------|-----|------|------|
| <b>Description</b> | T406 | GBM  | IV  | erbB | T406 |
|                    | T406 | T406 | GBM | HPSE | HS   |

**Organism**

**Tissue**

**Disease**

|                 |       |
|-----------------|-------|
| <b>Synonyms</b> | T-406 |
|-----------------|-------|

|            |    |
|------------|----|
| <b>Age</b> | 53 |
|------------|----|

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

|                 |             |        |
|-----------------|-------------|--------|
| <b>Citation</b> | T406 Cytion | 300361 |
|-----------------|-------------|--------|

**Biosafety level** 1

|                   |      |
|-------------------|------|
| <b>NCBI_TaxID</b> | 9606 |
|-------------------|------|

**CellosaurusAccession** CVCL\_4570

T406 | 300361

|                       |  |                |
|-----------------------|--|----------------|
| <b>Culture Medium</b> | DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 | Cytion 820300a |
|-----------------------|--|----------------|

|                    |         |
|--------------------|---------|
| <b>Supplements</b> | 10% FBS |
|--------------------|---------|

|                             |          |
|-----------------------------|----------|
| <b>Dissociation Reagent</b> | Accutase |
|-----------------------------|----------|

|                     |                          |                          |
|---------------------|--------------------------|--------------------------|
| <b>Subculturing</b> | PBS T25 3-5 PBS T75 5-10 | Accutase T25 1-2 T75 2.5 |
|---------------------|--------------------------|--------------------------|

|                      |   |
|----------------------|---|
| <b>Fluid renewal</b> | 2 |
|----------------------|---|

|                      |   |
|----------------------|---|
| <b>Freeze medium</b> | 50% + 40% FBS + 10% DMSO CM-1 Cytion 800100 |
|----------------------|---|

|                                    |    |           |         |
|------------------------------------|----|-----------|---------|
| <b>Thawing and Culturing Cells</b> | 1. |           |         |
|                                    | 2. | -150°C    | 3       |
|                                    | 3. | 37°C      | 40-60   |
|                                    | 4. | 70%       |         |
|                                    | 5. | 8         | 15      |
|                                    | 6. | 300 x g 3 |         |
|                                    | 7. | 10        | T25 T25 |
|                                    | 8. |           |         |

|                              |                          |
|------------------------------|--------------------------|
| <b>Incubation Atmosphere</b> | 37°C, 5% CO <sub>2</sub> |
|------------------------------|--------------------------|

|                      |  |
|----------------------|--|
| <b>Flask Coating</b> |  |
|----------------------|--|

T406 | 300361

---

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR