

WiDr | 300377

Antigen expression HLA A24 A32 B15 B18

Isoenzymes PGM1 1-2 PGM3 1-2 G6PD B ES-D 1 PEP-D 1 6PGD A

Tumorigenic

Products (CEA) 118 /106 /10 (CSAp) beta

Culture Medium DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 1×10^4 /

Fluid renewal 1 2

Post-Thaw Recovery 4 5×10 24

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

WiDr | 300377

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR

WiDr | 300377

HLA

A*: '01:01:01, '24:03:01

B*: '35:01:01, '44:03:01

C*: '04:01:01

DRB1*: '04:02:01, '07:01:01

DQA1*: '02:01:01, '03:01:01

DQB1*: '02:02:01, '03:02:01

DPB1*: '04:01:01

E: '01:01:01, '01:03:01