

AR42J | 500478

Description

| | | | |
|-------|-------|----------|----------|
| AR42J | | | AR42J |
| AR42J | C | | |
| AR42J | AR42J | cerulein | cerulein |
| AR42J | | | |
| AR42J | | | |

Organism

Tissue

Disease

Synonyms

AR4-2J, AR-42J

Morphology

Growth properties

Citation

AR42J Cytion 500478

Biosafety level

1

NCBI_TaxID

10116

CellosaurusAccession

CVCL_0143

Receptors expressed

AR42J | 500478

Tumorigenic

Products

Culture Medium DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

Supplements 10% FBS

Subculturing 37 30 PBS PBS T25 3-5 PBS T75

Seeding density 1×10^4 /

Fluid renewal 2 3

Post-Thaw Recovery 4×10^5 48

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

AR42J | 500478

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR