

SW780 | 305098

**Description** 41%

**Organism**

**Tissue**

**Disease**

**Synonyms** SW-780, SW 780

**Age** 80

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SW780 Cytion 305098

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1728

**Tumorigenic**

SW780 | 305098

<b>Culture Medium</b>	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Freeze medium</b>	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

<b>Thawing and Culturing Cells</b>	1.		
	2.	-150°C	3
	3.	37°C	40-60
	4.	70%	
	5.	8	15
	6.	300 x g 3	
	7.	10	T25 T25
	8.		

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

<b>Flask Coating</b>	
----------------------	--

<b>Freezing Procedure</b>	-78 °C
---------------------------	--------

SW780 | 305098

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR