

Hep-CLS-1H | 400197

Description	C3H/HE	C3H/HE	NDEA
--------------------	--------	--------	------

Organism

Tissue

Disease

Synonyms	HEP-CLS-1H
-----------------	------------

Breed/Subspecies	C3H/HE
-------------------------	--------

Gender

Morphology

Growth properties

Citation	Hep-CLS-1H Cytion 400197
-----------------	--------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_5774
-----------------------------	-----------

Tumorigenic	C3H/HE
--------------------	--------

Hep-CLS-1H | 400197

Culture Medium	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3	Cytion	820600a
-----------------------	--------------------	----------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	3	5
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C				3				
	3.		37°C			40-60					
	4.			70%							
	5.			8	15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating	
----------------------	--

Freezing Procedure	-78 °C
---------------------------	--------

Hep-CLS-1H | 400197

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR